


Ambulatory COVID19 Screening Workflow (Last Revised: 10/2/20)

Screening Questions:

1. Have you, your child, or any member of the household been diagnosed with OR had a positive or pending result for COVID19 in the past 10 days?
2. Do you, your child, or any member of the household have a fever or chills, cough, shortness of breath/difficulty breathing, fatigue, muscle or body aches, headache, new loss of taste or smell, sore throat, congestion or runny nose, nausea, vomiting, abdominal pain or diarrhea?



1. Reschedule appointment for 10 days from last exposure or from last positive test and with resolution of fever and improvement of symptoms.
2. **For Clinicians Only:** Essential visit defined as cannot be safely deferred for 2 weeks as decided by a clinician.
3. **For Clinicians Only:** If non-essential visit is less than 45 minutes of facetime with the provider (i.e., in same room but can be 6 feet from the patient for most of visit) AND less than 15 minutes of direct contact (within 6 feet of the patient during that visit), and the patient/family can be masked, then we see them. If not (e.g., PT/OT/speech, etc.), reschedule.
4. **For Clinicians Only:** Refer to link for COVID-19 retesting & deisolation criteria for Immunocompetent & Immunocompromised patients <http://portal2/sites/incident-cmd/covid19/Shared%20Documents/COVID-19%20Retesting%20guidance%20and%20deisolation%20criteria.pdf>